SLE₆ on Liouville quantum gravity as a growth-fragmentation process

William Da Silva

GDR Branchement

Based on joint work with Ellen Powell (Durham) and Alex Watson (UCL)



Bertoin, Curien, Kortchemski (2018)

critical Boltzmann triangulations











critical Boltzmann triangulations



Bertoin, Curien, Kortchemski (2018)

critical Boltzmann triangulations





Bertoin, Curien, Kortchemski (2018)

critical Boltzmann triangulations





p = 8

Bertoin, Curien, Kortchemski (2018)

critical Boltzmann triangulations





p = 8

1



















GOAL: Build X in the continuum

GOAL: Build X in the continuum



•
$$\gamma$$
-LQG disc: $\gamma = \sqrt{8/3}$

GOAL: Build X in the continuum



•
$$\gamma$$
-LQG disc: $\gamma = \sqrt{8/3}$

GOAL: Build X in the continuum



•
$$\gamma$$
-LQG disc: $\gamma = \sqrt{8/3}$

• space-filling curve η : SLE₆

Branch η^z towards point $z \in \mathbb{D}$

GOAL: Build X in the continuum



•
$$\gamma$$
-LQG disc: $\gamma = \sqrt{8/3}$

• space-filling curve η : SLE₆

Branch η^z towards point $z \in \mathbb{D}$

GOAL: Build X in the continuum



•
$$\gamma$$
-LQG disc: $\gamma = \sqrt{8/3}$



GOAL: Build X in the continuum



•
$$\gamma$$
-LQG disc: $\gamma = \sqrt{8/3}$



GOAL: Build X in the continuum



•
$$\gamma$$
-LQG disc: $\gamma = \sqrt{8/3}$



GOAL: Build X in the continuum



•
$$\gamma$$
-LQG disc: $\gamma = \sqrt{8/3}$



GOAL: Build X in the continuum



•
$$\gamma$$
-LQG disc: $\gamma = \sqrt{8/3}$



GOAL: Build X in the continuum





 $z \in \mathbb{D}$ $D^{z}(s)$ c.c. of $\mathbb{D} \setminus \eta^{z}([0,s])$ containing z

 $X^{z}(s)$ (quantum) boundary length of $D^{z}(s)$



 $z\in \mathbb{D}$

 $D^{z}(s)$ c.c. of $\mathbb{D} \setminus \eta^{z}([0,s])$ containing z

 $X^{z}(s)$ (quantum) boundary length of $D^{z}(s)$

$$X(s) := \{X^z(s), z \in \mathbb{D}\}$$



 $z\in \mathbb{D}$

 $D^{z}(s)$ c.c. of $\mathbb{D} \setminus \eta^{z}([0,s])$ containing z

 $X^{z}(s)$ (quantum) boundary length of $D^{z}(s)$

$$X(s) := \{X^z(s), z \in \mathbb{D}\}$$

Thm (DS, Powell, Watson)

 \times = growth-fragmentation process of BCK



Thm (DS, Powell, Watson)

 \times = growth-fragmentation process of BCK

• Scaling limit from peeling Boltzmann triangulations Bertoin, Curien, Kortchemski '18

- Scaling limit from peeling Boltzmann triangulations Bertoin, Curien, Kortchemski '18
- Peeling Boltzmann maps → X_α
 Bertoin, Budd, Curien, Kortchemski '18

- Scaling limit from peeling Boltzmann triangulations Bertoin, Curien, Kortchemski '18
- Peeling Boltzmann maps $\longrightarrow X_{\alpha}$ Bertoin, Budd, Curien, Kortchemski '18
- Brownian disc (metric) → time-change of X Le Gall, Riera '20

- Scaling limit from peeling Boltzmann triangulations Bertoin, Curien, Kortchemski '18
- Peeling Boltzmann maps $\longrightarrow X_{\alpha}$ Bertoin, Budd, Curien, Kortchemski '18
- Brownian disc (metric) → time-change of X Le Gall, Riera '20
- CLE_{κ} GF on γ -LQG, $\sqrt{8/3} < \gamma < 2 \longrightarrow X_{\alpha}$, $\alpha = 4/\gamma^2$ Miller, Sheffield, Werner '22



- Scaling limit from peeling Boltzmann triangulations Bertoin, Curien, Kortchemski '18
- Peeling Boltzmann maps $\longrightarrow X_{\alpha}$ Bertoin, Budd, Curien, Kortchemski '18
- Brownian disc (metric) → time-change of X Le Gall, Riera '20
- CLE_{κ} GF on γ -LQG, $\sqrt{8/3} < \gamma < 2 \longrightarrow X_{\alpha}$, $\alpha = 4/\gamma^2$ Miller, Sheffield, Werner '22
- CLE₄ GF on critical LQG → X₁
 Aïdékon, DS '22
 Aru, Holden, Powell, Sun '23

Duplantier, Miller, Sheffield '21 Ang, Gwynne '21



•
$$L_0 = 0, R_0 = 1$$

Duplantier, Miller, Sheffield '21 Ang, Gwynne '21



•
$$L_0 = 0, R_0 = 1$$

Duplantier, Miller, Sheffield '21 Ang, Gwynne '21



•
$$L_0 = 0, R_0 = 1$$

- $L_t = red$ quantum length
 - $R_t = blue$ quantum length

L

Duplantier, Miller, Sheffield '21 Ang, Gwynne '21



•
$$L_0 = 0, R_0 = 1$$

- $L_t = red$ quantum length
 - $R_t = blue$ quantum length

R

L

Duplantier, Miller, Sheffield '21 Ang, Gwynne '21



•
$$L_0 = 0, R_0 = 1$$

- $L_t = red$ quantum length
 - $R_t = blue$ quantum length

 $ho(\gamma)$ -correlated Brownian excursion

R



















































CONCLUSION

- **Growth-fragmentation** embedded in LQG/Brownian cone excursions
- New *elementary* proofs of old LQG results:

Target invariance property of SLE₆ on $\sqrt{8/3}$ -LQG

Law of **area** of quantum disc conditioned on perimeter

- Explicit **description** of BM subordinated on backward cone points (Le Gall)
- Questions about **pathwise constructions** of conditioned ssMPs